


ILLUSTRATED PARTS

AMERICAN  AMERICAN
M A D E O W N E D
OUTDOOR POWER EQUIPMENT











1995


PUSH MOWERS

Model Number	Pages
115-504A000 thru 115-508R000	2, 3
115-515A000 thru 115-518G000	4, 5
115-733A000 thru 115-738R000	6, 7
Engine Shrouds	8

OPTIONAL ENGINE SHROUDS

							
Part No. 751B281439 751B281440 751B281443	Color Dark Red Black Bright Red	Part No. 731-1395 731-1396 731-1397	Color Red Black Gray	Part No. 731-1587 731-1603 731-1610	Color Black Yellow Pewter	Part No. 731-1561 731-1612	Color Black Red
Hardware: 710-1256 (Screw)		Hardware: 710-1256 (Screw)		Hardware: 710-1184 (Screw)		Hardware: 7510042823 (Screw)	
							
Part No. 731-1402	Color Yellow	Part No. 7510014308	Color Black	Part No. 731-1585	Color Black	Part No. 731-1586	Color Black
Hardware: 710-1256 (Screw)		Hardware: 7510042823 (Screw)		Hardware: 710-1274 (Screw)		Hardware: 7510042823 (Screw)	

Models 504 thru 508



Models 733 thru 738

PARTS LIST FOR MODELS 733 THRU 738 ROTARY MOWERS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	647-0004		Control Handle Ass'y. (Deluxe)	44	735-0639		Spark Plug Boot
	747-0824		Control Handle Ass'y. (Std.)	45	811-00185		Throttle Box Comp. (Incl. Ref. 2, 3, 4, 5, 6)
2	710-0605		Oval C-Sunk Scr.	46	738-0102		Axle Bolt
3	736-0501		Spr. Wash. .66" I.D.	47	736-0105		Bell-Wash. .400" I.D. x .88"
4	746-0876		Throttle Lever	48	738-0507B		Shld. Bolt .50" Dia. x .357"
5	712-0324		Hex L-Nut 1/4-20 Thd.	49	14832		Spring Lever Ass'y. w/Knob
6	646-0875		Throttle Body	50	15262B		Pivot Bar
7	720-0226		Grip (Optional)	51	15261A		Height Adj. Plate
8	749-0538C		Upper Handle	52	**		Wheel Ass'y. Comp.
10	710-1205		Rope Guide	53	14578		Height Adj. Ass'y. Comp.—R.F.
12	720-0276		Hand Knob		14579		Height Adj. Ass'y. Comp.—L.F.
13	710-1174		Curved Hd. Bolt 5/16-18 x 2" Lg.	54	746-0842		Throttle Cable—51" (734 and 738)
14	726-0240		Cable Tie		746-0844		Throttle Cable—39" (733 and 735)
15	749-0928		Lower Handle	55	746-0550		Control Cable—39" (734)
16	714-0104		Hairpin Cotter		746-0552		Control Cable—49" (733 and 735)
17	17098		Hinge Clip		746-0553		Control Cable—36" (738)
18	731-0872A		Rear Flap	57	710-0654A		Hex L-Wash. Hd. Scr. 3/8-16 x 1.0" Lg.
21	736-0356		Bell-Wash. .39" I.D. x 1.38"	58	736-0504		Wave Washer .51" I.D. (Used w/Ball Bearings)
22	712-0798		Hex Nut 3/8-16 Thd.*	62	720-0279		Handle Knob 1/4-20 Thd.
23	††		Hub Cap	63	731-1409		Chute Deflector
24	**		Bearing (Optional)	64	682-7002		Mulching Plug
29	682-0025		20" Deck Ass'y.	65	710-0599		Hex Wash. Hd. TT-Tap Scr. 1/4-20 x .5" Lg.
30	753-0484		Blade Adapter Kit	66	736-0270		Bell-Wash. 1/4" I.D.
31	736-0452		Bell-Wash. .39" I.D.	67	682-3024		Height Adj. Ass'y. Comp.—R.R.
32	710-1044		Hex Bolt 3/8-24 x 1.5" Lg.	68	682-3025		Height Adj. Ass'y. Comp.—L.R.
33	742-0720		20" Mulching Blade				
34	710-1055		Hex Bolt 3/8-24 x 1" Lg.				
35	736-0169		L-Wash. 3/8" I.D.*				
36	712-0241		Hex Nut 3/8-24 Thd.				
39	—		Engine				
41	751B213146		Cable Clamp (734 and 738)				
	7510007755		Cable Clamp (733 and 735)				
42	710-1237		Hex Self-Tap Scr. #10-32 x .62" (734 and 738)				
	710-0871		Sems Scr. #10-32 x .38" Lg. (733 and 735)				

*For faster service obtain standard nuts, bolts and washers locally.
If these items cannot be obtained locally, order by part number and size as shown on parts list.




**FRONT WHEEL CHART	Bar Tread	"S" Wave Tread
Wheels w/o Bearings	734-1781 (Gray—No Hub Cap) 634-0020 (Gray—Uses Hub Cap)	
Wheels with Ball Brgs.† (Brg. Part No. 741-0484)		734-1513B (Gray)

†Require Wave Washer 736-0504

Models 504 thru 508

PARTS LIST FOR MODELS 504 THRU 508 ROTARY MOWERS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	747-0824		Control Handle (Std.)	49	782-0520		Small Pivot Bar—R.H.
	647-0004		Control Handle (Deluxe)	50	712-3020		Hex Jam Nut 3/8-16 Thd.
2	734-1661		16" Wheel Ass'y.	52	749-0538C		Upper Handle
3	**		Front Wheel Ass'y.	53	714-0104		Intern. Cot. Pin 5/16" Dia.
4	741-0484		Bearing 1/2" I.D.	54	726-0240		Cable Tie
5	738-0102		Front Axle Bolt	55	710-1174		Curved Hd. Bolt 5/16-18 x 2" Lg.
6	712-0328		Hex Nut 3/8-24 Thd. (Gr. 8)	56	710-1205		Rope Guide
7	742-0622		22" Blade	57	720-0276		Hand Knob
	742-0722		22" Mulching Blade (Optional)	65	**		Bearing
8	746-0842		Throttle Control Wire—51"	70	735-0639		Spark Plug Boot (Optional)
9	749-0928		Lower Handle	72	738-0507B		Shoulder Bolt .50" Dia.
10	—		Engine	79	14832		Spring Lever Ass'y. w/Knob
11	710-0605		Oval C-Sunk Mach. Scr.	80	15262B		Pivot Bar
12	746-0876		Throttle Lever	81	15261A		Height Adj. Plate
13	736-0501		Spr. Wash. .66" I.D.	82	736-0356		Bell-Wash. .39" I.D. x 1.38"
14	712-0324		Hex L-Nut 1/4-20 Thd.	84	14578		Front Height Adj. Ass'y.
15	736-0169		L-Wash. 3/8" I.D.*				Comp.—R.H.
16	712-0241		Hex Nut 3/8-24 Thd.		14579		Front Height Adj. Ass'y.
17	712-0431		Flange L-Nut 3/8-18 Thd.				Comp.—L.H. (Not Shown)
18	710-1055		Hex Bolt 3/8-24 x 1.0" Lg.	86	736-0270		Bell-Wash. .285" I.D. x .75"
19	682-0517		Handle Brkt. Ass'y.—L.H.	87	710-0599		Hex Wash. Hd. Tap Scr.
20	682-0518		Handle Brkt. Ass'y.—R.H.				1/4-20 x .5" Lg.
21	646-0875		Throttle Body	88	747-0710		Hinge Pin
22	811-00185		Throttle Box Comp. (Incl. Ref. 11, 12, 13, 14, 21)	89	17032		Adapter Plate
25	710-0793		Ribbed Neck Bolt 3/8-24 x .80"	90	732-0593		Torsion Spring
28	712-0798		Hex Nut 3/8-16 Thd.*	93	731-1034		Chute Deflector Ass'y. Comp.
29	736-0105		Bell-Wash. .400" I.D. x .88"	94	738-0878		Rear Axle
33	710-1044		Hex Bolt 3/8-24 x 1.5" Lg.	95	736-0331		Bell-Wash. .39" I.D. x 1.13"
35	753-0484		Blade Adapter Kit	96	750-0151		Spacer .55" I.D. x .75"
36	736-0452		Bell-Wash. .39" I.D.	97	736-0504		Wave Washer .51" I.D.
38	17098		Hinge Clip				(Used w/Ball Brg. Wheels)
40	731-1026		Rear Flap Ass'y.	99	736-3050		FI-Wash. .406" I.D. x .81"
43	746-0550		Control Cable—39" (504, 508)	100	736-0182		Spr. Wash. .5" I.D. x 1.0"
	746-0737		Control Cable—51" (507)	102	720-0226		Foam Grip (Optional)
44	682-0221		22" Deck Ass'y.	103	751B213146		Casing Clamp (504, 508)
45	710-0654A		Hex Wash. Hd. TT-Tap Scr. 3/8-16 x 1.00" Lg.		7510007755		Casing Clamp (507)
46	720-0297	N	Handle Knob 1/4-20 Thd.	104	710-1237		Hex Wash. Hd. Tap Scr. #10-32 x .62" Lg. (504, 508)
47	736-0504		Wave Wash. .51" I.D.		710-0871		Hex Sems Scr. #10-32 x .3" Lg. (507)
48	782-0519		Small Pivot Bar—L.H.	105	731-1386A		Mulching Baffle (Optional)

**FRONT WHEEL CHART	Bar Tread 	"T" Tread 	"S" Wave Tread 
Wheels w/o Bearings	734-1781 (Gray—No Hub Cap) 634-0020 (Gray—Uses Hub Cap) 734-1782 (Beige)		734-1512A (Gray)
Wheels w/Plastic Brgs. (Brg. Part No. 741-0262)		734-1566	
Wheels with Ball Brgs.† (Brg. Part No. 741-0484)		734-1268	734-1513B (Gray)

†Require Wave Washer 736-0504


Models 733 thru 738

Grass Catcher Complete (Optional)

Model 190-110-000

††Optional Hub Caps

Description	Part No.
Gray (5-1/2" Dia.)	731-0981A
Gray (3-1/2" Dia.)	720-0249




Models 515, 517 and 518

Grass Catcher Complete



Model 190-076-000

OPTIONAL HUB CAPS

Description	Part No.
Gray (3-1/2" Dia.)	720-0249
Gray (5-1/2" Dia.)	731-0981A



**FRONT WHEEL CHART

Tread	Ass'y. Comp.
Bar 	734-1781 (Gray) 734-1782 (Beige)
S-Wave 	734-1512A (Gray)

Models 515, 517 and 518

PARTS LIST FOR MODELS 515, 517 AND 518 ROTARY MOWERS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	747-0824		Control Handle Ass'y. (Std.)	50	736-0356		Bell-Wash. .39" I.D.
	647-0004		Control Handle Ass'y. (Deluxe)	51	712-0798		Hex Nut 3/8-16 Thd.*
2	720-0226		Foam Grip (Optional)	52	710-0654A		Hex L-Wash. Hd. Scr.
3	710-0605		Oval C-Sunk Scr.				3/8-16 x 1" Lg.
4	736-0501		Spr. Wash. .66" I.D.	53	16998A		21" Deck Ass'y.
5	712-0324		Hex L-Nut 1/4-20 Thd.	54	17008		Chute Baffle
6	746-0843		Throttle Cable—55" (518C)	55	14847		Retaining Strip 14.25" Lg.
	746-0845		Throttle Cable—45" (515A)	56	731-0669		Rear Flap 17.30" Lg.
	746-0842		Throttle Wire—51" (517G)	57	731-0859		Rear Chute Deflector
7	720-0297		Handle Knob 1/4-20 Thd.	58	731-0856A		Hardtop Handle
8	749-0538C		Upper Handle	59	731-0857A		Hardtop Bag Cover
9	710-0352		Hex B-Tap Scr. 1/4 x .38" Lg.	60	749-0736A		Rear Catcher Frame
10	712-0287		Hex Nut 1/4-20 Thd.*	61	764-0411		Front Catcher Frame
11	736-0329		L-Wash. 1/4" I.D.*	62	764-0252		Grass Bag
12	710-0252		Hex Bolt 1/4-20 x .85" Lg.	63	741-0484		Bearing (2 Per Wheel)
13	710-1205		Rope Guide	64	738-0481		Shld. Bolt .5 Dia. x 2.62"
14	710-0167		Carr. Bolt 1/4-20 x .5" Lg.	65	736-0463		FI-Wash. .281" I.D.
15	720-0276		Hand Knob	68	731-1461		Chute Deflector (Optional)
16	746-0554		Control Cable—40.5" (518C)	69	782-7011		Chute Mounting Brkt. (Optional)
	746-0555		Control Cable—55" (515A and 517G)	70	712-0324		Hex L-Nut 1/4-20 Thd.
17	726-0240		Cable Tie	71	710-0286		Mach. Scr. 1/4-20 x .5" Lg.
18	710-1174		Curved Hd. Bolt 5/16-18 x 2" Lg.	72	736-0452		Bell-Wash. .39" I.D.
19	749-0928		Lower Handle	73	742-0621		21" Blade
20	17007		Rear Panel Baffle		742-0721		Mulching Blade (Optional)
21	17013		Baffle	74	753-0484		Blade Adapter Kit
22	735-0639		Spark Plug Boot (Optional)	75	710-1044		Hex Bolt 3/8-24 x 1.5"
23	811-00185		Throttle Box Comp. (Incl. Ref. 3, 4, 5, 24, 25)	76	15261A		Height Adj. Plate
24	746-0876		Throttle Lever	77	15262B		Pivot Bar
25	646-0875		Throttle Body	78	14832		Spring Lever Ass'y. w/Knob
26	751B213146		Cable Clamp (518C)	79	738-0507B		Shld. Bolt .50" Dia. x .357"
	7510007755		Cable Clamp (515A and 517G)	80	736-0105		Bell-Wash. .38" I.D. x .88" O.D.
27	—		Engine	82	14578		Height Adj. Ass'y. Comp.—R.H.
28	710-1237		Hex Self-Tap Scr. #10-32 x .62" Lg. (518C)		14579		Height Adj. Ass'y. Comp.—L.H. (Not Shown)
	710-0871		Hex Sems Scr. #10-32 x .38" Lg. (515A and 517G)	83	**		Front Wheel Ass'y. Comp.
30	734-1661		Wheel Ass'y. Comp.—Steel Rim	84	14764C		Index Plate
31	710-1055		Hex Bolt 3/8-24 x 1"	85	17488		Pivot Bar—R.H.
32	736-0169		L-Wash. 3/8" I.D.		17489		Pivot Bar—L.H. (Not Shown)
33	712-0241		Hex Nut 3/8-24 Thd.	86	720-0190		Spring Lever Knob
34	731-0858		Seal—Extrusion	87	732-0417A		Spring Lever
35	714-0104		Int. Cotter Pin 5/16" Dia.	88	17490		Rear Height Adj. Ass'y. Comp.—R.H.
36	726-0106		Cap Speed Nut		17491		Rear Height Adj. Ass'y. Comp.—L.H. (Not Shown)
37	747-0698B		Hinge Pin 17.75" Lg.	89	738-0102		Front Axle Bolt
38	750-0566		Spacer .255" I.D.	90	736-0504		Wave Wash. .51" I.D. x .78" O.D. (Used w/Ball Brg.)
39	732-0577A		Torsion Spring—L.H.	92	720-0224		Grass Catcher Locking Knob
40	711-0805		Shld. Pin 3/8-24 x 1.43" Lg.	93	736-0498		Internal L-Wash. 1/4" I.D.
41	736-0169		L-Wash. 3/8" I.D.*	94	736-0286		Wave Washer 3/8" I.D.
42	712-0711		Hex Jam Nut 3/8-24 Thd.	95	738-0137		Shld. Bolt .342" Dia. x .268"
43	732-0578A		Torsion Spring—R.H.	96	731-0564		Plug
44	12297B		Handle Brkt. Ass'y.—L.H.	99	736-0456		FI-Wash. .51" I.D. x 1.373"
45	710-1017		Torx Mach. AB-Tap Scr. 1/4 x .62" Lg.	100	736-0182		Spr. Wash. .5" I.D. x 1" O.D.
46	731-0970B		Deflector Plug	101	731-1446		Mulching Plug (Optional)
47	731-0931		Corner Plug	102	782-7010		Stop Bracket (Optional)
48	12296B		Handle Brkt. Ass'y.—R.H.	103	710-1006		Hex Tap Scr. 3/8-16 x .75" Lg.
49	710-0896		Hex L-Wash. B-Tap Scr. 1/4 x .62" Lg.	104	710-0653		Hex B-Tap Scr. 1/4 x .38" Lg.

*For faster service obtain standard nuts, bolts and washers locally.
If these items cannot be obtained locally, order by part number
and size as shown on parts list.